



Precession Powerful



JIASHAN MONSTER AUDIO ELECTRONICS CO., LTD.

ADD:HUICHENG ROAD, HUIMIN INDUSTRIAL ZONE, JIASHAN, ZHEJIANG CHINA

TEL:86-573-84648808 FAX:86-573-84648807

E-MAIL:MSD@VIP.163.COM FLHJS@VIP.SINA.COM

URL:WWW.MONSTERAUDIO.CN

MONSTER AUDIO

WWW.MONSTERAUDIO.CN

Subwoofer



Stamped Basket
Non-pressed Paper Cone With Foam Edge

Model	MW0201-10	MW0201-12
Size	10"	12"
Magnet Weight	30 oz	30 oz
Voice Coil	1.5" Aluminum	1.5" Aluminum
Power	300 Watts	400 Watts
Frequency Response	35 Hz - 1 KHz	33 Hz - 1 KHz
Efficiency	88 dB	88 dB
Impedance	4 Ohm	4 Ohm

Stamped Basket
Paper Cone With Rubber Edge

Model	MW0202-10	MW0202-12
Size	10"	12"
Magnet Weight	30 oz	30 oz
Voice Coil	1.5" Aluminum	1.5" Aluminum
Power	300 Watts	400 Watts
Frequency Response	35 Hz - 1 KHz	33 Hz - 1 KHz
Efficiency	88 dB	88 dB
Impedance	4 Ohm	4 Ohm



Stamped Basket
Non-pressed Paper Cone With Foam Edge

Model	MW0203-10	MW0203-12
Size	10"	12"
Magnet Weight	50 oz	50 oz
Voice Coil	2" Aluminum	2" Aluminum
Power	500 Watts	600 Watts
Frequency Response	32 Hz - 1 KHz	30 Hz - 1 KHz
Efficiency	90 dB	90 dB
Impedance	4 Ohm	4 Ohm



Subwoofer



Stamped Basket
PP Cone With Rubber Edge

Model	MW0204-10	MW0204-12
Size	10"	12"
Magnet Weight	40 oz	40 oz
Voice Coil	2" Aluminum	2" Aluminum
Power	400 Watts	500 Watts
Frequency Response	35 Hz - 1 KHz	33 Hz - 1 KHz
Efficiency	90 dB	90 dB
Impedance	4 Ohm	4 Ohm

Stamped Basket
PP Cone With Rubber Edge

Model	MW0205-10	MW0205-12
Size	10"	12"
Magnet Weight	40 oz	40 oz
Voice Coil	2" Aluminum	2" Aluminum
Power	400 Watts	500 Watts
Frequency Response	35 Hz - 1 KHz	33 Hz - 1 KHz
Efficiency	90 dB	90 dB
Impedance	4 Ohm	4 Ohm



Stamped Basket
PP Cone With Rubber Edge

Model	MW0206-10	MW0206-12
Size	10"	12"
Magnet Weight	40 oz	40 oz
Voice Coil	2" Aluminum	2" Aluminum
Power	400 Watts	500 Watts
Frequency Response	32 Hz - 1.2 KHz	30 Hz - 1 KHz
Efficiency	90 dB	90 dB
Impedance	4 Ohm	4 Ohm



Subwoofer



Stamped Basket
PP Cone With Rubber Edge

Model	MW0207-10	MW0207-12
Size	10"	12"
Magnet Weight	70 oz	70 oz
Voice Coil	2" Aluminum	2" Aluminum
Power	600 Watts	700 Watts
Frequency Response	32 Hz - 1 KHz	30 Hz - 1 KHz
Efficiency	92 dB	92 dB
Impedance	4 Ohm	4 Ohm

Stamped Basket
Non-pressed Paper Cone With Foam Edge

Model	MW0208-10	MW0208-12
Size	10"	12"
Magnet Weight	120 oz	120 oz
Voice Coil	2.5" Aluminum	2.5" Aluminum
Power	600 Watts	800 Watts
Frequency Response	30 Hz - 1 KHz	28 Hz - 1 KHz
Efficiency	90 dB	90 dB
Impedance	4 Ohm	4 Ohm



Stamped Basket
Paper Cone With Rubber Edge

Model	MW0209-10	MW0209-12
Size	10"	12"
Magnet Weight	120 oz	120 oz
Voice Coil	2" Aluminum	2" Aluminum
Power	500 Watts	600 Watts
Frequency Response	32 Hz - 1 KHz	30 Hz - 1 KHz
Efficiency	92 dB	92 dB
Impedance	4 Ohm	4 Ohm



Subwoofer



Die-casting Basket
Non-pressed Paper Cone With Foam Edge

Model	MW0210-10	MW0210-12
Size	10"	12"
Magnet Weight	120 oz	120 oz
Voice Coil	2.5" Aluminum	2.5" Aluminum
Power	700 Watts	900 Watts
Frequency Response	30 Hz - 1 KHz	28 Hz - 1 KHz
Efficiency	90 dB	90 dB
Impedance	4 Ohm x 2	4 Ohm x 2

Die-casting Basket
Non-pressed Paper Cone With Foam Edge

Model	MW0211-10	MW0211-12
Size	10"	12"
Magnet Weight	150 oz	150 oz
Voice Coil	2.5" Aluminum	2.5" Aluminum
Power	800 Watts	1000 Watts
Frequency Response	30 Hz - 1 KHz	28 Hz - 1 KHz
Efficiency	90 dB	90 dB
Impedance	4 Ohm x 2	4 Ohm x 2



Subwoofer



Die-casting Basket
Non-pressed Paper Cone With Foam Edge

Model	MW0212-10	MW0212-12
Size	10"	12"
Magnet Weight	120 oz	120 oz
Voice Coil	2.5" Aluminum	2.5" Aluminum
Power	700 Watts	900 Watts
Frequency Response	30 Hz - 1 KHz	28 Hz - 1 KHz
Efficiency	90 dB	90 dB
Impedance	4 Ohm x 2	4 Ohm x 2



Die-casting Basket
Glassfibre Non-pressed Paper Cone With Foam Edge

Model	MW0213-10	MW0213-12
Size	10"	12"
Magnet Weight	200 oz	200 oz
Voice Coil	3" Aluminum	3" Aluminum
Power	1000 Watts	1200 Watts
Frequency Response	28 Hz - 800 Hz	26 Hz - 600 Hz
Efficiency	90 dB	90 dB
Impedance	4 Ohm x 2	4 Ohm x 2

Coaxial Speaker



MCN437



MCN537



MCN6547



MCN6937

Steel Basket
Paper Cone With Rubber Edge
With Grille

Model	MCN437	MCN537	MCN6547	MCN6937
Size	4" 3 Way	5.25" 3 Way	6.5" 4 Way	6 x 9" 3 Way
Magnet Weight	6 oz	6 oz	10 oz	15 oz
Voice Coil	1" Aluminum	1" Aluminum	1" Aluminum	1" Aluminum
Tweeter	1.5" Tweeter + Piezo Tweeter	1.5" Tweeter + Piezo Tweeter	1.5" Tweeter + Piezo Tweeter	2.5" Tweeter + Piezo Tweeter
Power	100 Watts	120 Watts	180 Watts	250 Watts
Frequency Response	85 Hz - 20 KHz	80 Hz - 20 KHz	65 Hz - 20 KHz	55 Hz - 20 KHz
Efficiency	90 dB	90 dB	90 dB	90 dB
Impedance	4 Ohm	4 Ohm	4 Ohm	4 Ohm

Coaxial Speaker



MCN428



MCN528



MCN6548



MCN6948

Steel Basket

PP Cone With Rubber Edge
With Grille

Model	MCN428	MCN528	MCN6548	MCN6948
Size	4" 2 Way	5.25" 2 Way	6.5" 4 Way	6 x 9" 4 Way
Magnet Weight	6 oz	6 oz	10 oz	20 oz
Voice Coil	1" Aluminum	1" Aluminum	1" Aluminum	1" Aluminum
Tweeter	1.5" Tweeter	1.5" Tweeter	1.5" Tweeter + Piezo Tweeter	2.5" Tweeter + Piezo Tweeter
Power	100 Watts	120 Watts	180 Watts	300Watts
Frequency Response	85 Hz - 20 KHz	80 Hz - 20 KHz	60 Hz - 20 KHz	50 Hz - 20 KHz
Efficiency	90 dB	90 dB	90 dB	90 dB
Impedance	4 Ohm	4 Ohm	4 Ohm	4 Ohm

Coaxial Speaker



MCN529



MCN6529



MCN6939

Aluminum Basket

Glassfibre Cone With Rubber Edge
With Grille

Model	MCN529	MCN6529	MCN6939
Size	5.25" 2 Way	6.5" 2 Way	6x9" 3 Way
Magnet Weight	10 oz	15 oz	30 oz
Voice Coil	1" Aluminum	1" Aluminum	1.5" Aluminum
Tweeter	Titanium Dome Tweeter	Titanium Dome Tweeter	Titanium Dome Tweeter
Power	180 Watts	250 Watts	500 Watts
Frequency Response	70 Hz - 20 KHz	60 Hz - 20 KHz	50 Hz - 20 KHz
Efficiency	90 dB	90 dB	90 dB
Impedance	4 Ohm	4 Ohm	4 Ohm

Enclosure



Covered With Carpet
 Woofer: Steel Basket
 Paper Cone With Rubber Edge

Model	MBB1001	MBB1201
Size	10"	12"
Magnet Weight	80 oz	80 oz
Voice Coil	2" Aluminum	2" Aluminum
Power	500 Watts	600 Watts
Frequency Response	45 Hz - 1 KHz	40 Hz - 1 KHz
Efficiency	92 dB	92 dB
Impedance	4 Ohm	4 Ohm

Covered With Carpet
 Woofer: Steel Basket
 PP Cone With Foam Edge

Model	MBB1002	MBB1202
Size	10"	12"
Magnet Weight	40 oz	40 oz
Voice Coil	2" Aluminum	2" Aluminum
Power	400 Watts	500 Watts
Frequency Response	40 Hz - 1 KHz	35 Hz - 1 KHz
Efficiency	90 dB	90 dB
Impedance	4 Ohm	4 Ohm



Covered With Vinyl
 Woofer: Steel Basket
 PP Cone With Rubber Edge

Model	MBB1003	MBB1203
Size	10"	12"
Magnet Weight	40 oz	40 oz
Voice Coil	2" Aluminum	2" Aluminum
Power	400 Watts	500 Watts
Frequency Response	40 Hz - 1 KHz	35 Hz - 1 KHz
Efficiency	90 dB	90 dB
Impedance	4 Ohm	4 Ohm



Enclosure



Covered With Carpet
 Woofer: Steel Basket
 PP Cone With Rubber Edge

Model	MBB1004	MBB1204
Size	10"	12"
Magnet Weight	40 oz	40 oz
Voice Coil	2" Aluminum	2" Aluminum
Power	400 Watts	500 Watts
Frequency Response	40 Hz - 1 KHz	35 Hz - 1 KHz
Efficiency	92 dB	92 dB
Impedance	4 Ohm	4 Ohm



Covered With Carpet
 Woofer: Steel Basket
 PP Cone With Rubber Edge

Model	MBB1005	MBB1205
Size	10"	12"
Magnet Weight	40 oz	40 oz
Voice Coil	2" Aluminum	2" Aluminum
Power	600 Watts	800 Watts
Frequency Response	40 Hz - 1 KHz	35 Hz - 1 KHz
Efficiency	90 dB	90 dB
Impedance	4 Ohm	4 Ohm

Enclosure



Covered With Carpet
 Woofer: Steel Basket
 Non-pressed Paper Cone With Foam Edge

Model	MBB1006	MBB1206
Size	10"	12"
Magnet Weight	40 oz	40 oz
Voice Coil	2" Aluminum	2" Aluminum
Power	500 Watts	600 Watts
Frequency Response	45 Hz - 1 KHz	40 Hz - 1 KHz
Efficiency	90 dB	90 dB
Impedance	4 Ohm	4 Ohm



Covered With Carpet
 Woofer: Steel Basket
 Non-pressed Paper Cone With Foam Edge


Model	MBB1007	MBB1207
Size	10"	12"
Magnet Weight	50 oz	50 oz
Voice Coil	2" Aluminum	2" Aluminum
Power	800 Watts	1000 Watts
Frequency Response	40 Hz - 1 KHz	35 Hz - 1 KHz
Efficiency	90 dB	90 dB
Impedance	4 Ohm	4 Ohm

Enclosure



Covered With Carpet
 Woofer: Steel Basket
 PP Cone With Rubber Edge

Model	MBB1008	MBB1208
Size	10"	12"
Magnet Weight	40 oz	40 oz
Voice Coil	2" Aluminum	2" Aluminum
Power	800 Watts	1000 Watts
Frequency Response	40 Hz - 250 Hz	35 Hz - 250 Hz
Efficiency	90 dB	90 dB
Impedance	4 Ohm	4 Ohm



Covered With Carpet
 Woofer: Steel Basket
 PP Cone With Rubber Edge
 With Built-in Amplifier

Model	MBB1009A	MBB1209A
Size	10"	12"
Magnet Weight	30 oz	30 oz
Voice Coil	1.5" Aluminum	1.5" Aluminum
Power	120 WRMS	150 WRMS
Frequency Response	30 Hz - 250 Hz	30 Hz - 250 Hz

Enclosure



Covered With Carpet
 Woofer: Steel Basket
 Paper Cone With Rubber Edge
 With Built-in Amplifier

Model	MBB1010A	MBB1210A
Size	10"	12"
Magnet Weight	30 oz	30 oz
Voice Coil	1.5" Aluminum	1.5" Aluminum
Power	120 WRMS	150 WRMS
Frequency Response	30 Hz - 250 Hz	30 Hz - 250 Hz



Covered With Vinyl
 Woofer: Steel Basket
 PP Cone With Rubber Edge
 With Built-in Amplifier

Model	MBB1011A	MBB1211A
Size	10"	12"
Magnet Weight	40 oz	40 oz
Voice Coil	2" Aluminum	2" Aluminum
Power	180 WRMS	200 WRMS
Frequency Response	30 Hz - 250 Hz	30 Hz - 250 Hz



Covered With Vinyl
 Woofer: Steel Basket
 PP Cone With Rubber Edge
 With Built-in Amplifier

Model	MBB1012A	MB1212A
Size	10"	12"
Magnet Weight	40 oz	40 oz
Voice Coil	2" Aluminum	2" Aluminum
Power	180 WRMS	200 WRMS
Frequency Response	30 Hz - 250 Hz	30 Hz - 250 Hz

Enclosure



Covered With Carpet
 Woofer: Steel Basket
 PP Cone With Rubber Edge
 With Built-in Amplifier

Model	MBB1013A	MB1213A
Size	10"	12"
Magnet Weight	40 oz	40 oz
Voice Coil	2" Aluminum	2" Aluminum
Power	180 WRMS	200 WRMS
Frequency Response	30 Hz - 250 Hz	30 Hz - 250 Hz



Covered With Carpet
 Woofer: Steel Basket
 PP Cone With Rubber Edge
 With Built-in Amplifier

Model	MBB1014A	MBB1214A
Size	10"	12"
Magnet Weight	40 oz	40 oz
Voice Coil	2" Aluminum	2" Aluminum
Power	180 WRMS	200 WRMS
Frequency Response	30 Hz - 250 Hz	30 Hz - 250 Hz