



**JIASHAN MONSTER AUDIO ELECTRONICS CO., LTD.**

Add: Huicheng Road, Huimin Industrial Zone, Jiashan, Zhejiang, China

Tel: 86-573-84648808 Fax: 86-573-84648807

E-mail: msd@vip.163.com info@monsteraudio.cn

Url: www.monsteraudio.cn

**MONSTER AUDIO**

**Precession Powerful**

[www.monsteraudio.cn](http://www.monsteraudio.cn)





SUBWOOFER 02-05



COAXIAL SPEAKER 06-11



ENCLOSURE 12-16



OUTERDOOR SPEAKER 17



PA ENCLOSURE 18



● MW0901-10 / MW0901-12

Stamped basket		
PP cone with foam edge, rubber gasket		
Model:	MW0901-10	MW0901-12
Size:	10"	12"
Voice:	2" Aluminium	2" Aluminium
Magnet:	40 oz	40 oz
Impedance:	4 Ohm	4 Ohm
Frequency:	35Hz~1.8KHz	32Hz~1.8KHz
Sensitivity:	90dB	90dB
Power:	150Watts	200Watts

● MW0902-10 / MW0902-12

Stamped basket		
IMPP cone with rubber edge, rubber gasket		
Model:	MW0902-10	MW0902-12
Size:	10"	12"
Voice:	2" Aluminium	2" Aluminium
Magnet:	40 oz	40 oz
Impedance:	4 Ohm	4 Ohm
Frequency:	35Hz~2KHz	32Hz~1.8KHz
Sensitivity:	90dB	91dB
Power:	150Watts	200Watts



● MW0903-10 / MW0903-12

Stamped basket		
Wool paper cone with rubber edge, rubber gasket		
Model:	MW0903-10	MW0903-12
Size:	10"	12"
Voice:	2" Aluminium	2" Aluminium
Magnet:	50 oz	50 oz
Impedance:	4 Ohm	4 Ohm
Frequency:	32Hz~1.2KHz	30Hz~1KHz
Sensitivity:	90dB	90dB
Power:	200Watts	250Watts







### ● MW0904-10 / MW0904-12

Stamped basket		
IMPP cone with rubber edge, rubber gasket		
Model:	MW0904-10	MW0904-12
Size:	10"	12"
Voice:	2" Aluminium	2" Aluminium
Magnet:	60 oz	60 oz
Impedance:	4 Ohm	4 Ohm
Frequency:	32Hz~1.5KHz	30Hz~1.2KHz
Sensitivity:	90dB	90dB
Power:	300Watts	350Watts

### ● MW0905-10 / MW0905-12

Die-casting basket		
PP cone with rubber edge, rubber gasket		
Model:	MW0905-10	MW0905-12
Size:	10"	12"
Voice:	2" Aluminium	2" Aluminium
Magnet:	50 oz	50 oz
Impedance:	4 Ohm	4 Ohm
Frequency:	35Hz~1.8KHz	32Hz~1.8KHz
Sensitivity:	90dB	91dB
Power:	300Watts	350Watts



### ● MW0906-10 / MW0906-12

Die-casting basket		
Glassfiber compound weave cone with rubber edge, aluminium gasket		
Model:	MW0906-10	MW0906-12
Size:	10"	12"
Voice:	2" Aluminium	2" Aluminium
Magnet:	60 oz	60 oz
Impedance:	4 Ohm	4 Ohm
Frequency:	35Hz~1.8KHz	35Hz~1.8KHz
Sensitivity:	90dB	91dB
Power:	300Watts	400Watts



### ● MW0907-10 / MW0907-12

Die-casting basket		
Paper cone with foam edge, plastic gasket		
Model:	MW0907-10	MW0907-12
Size:	10"	12"
Voice:	2" Aluminium	2" Aluminium
Magnet:	80 oz	80 oz
Impedance:	4 Ohm	4 Ohm
Frequency:	30Hz~1.8KHz	28Hz~1.8KHz
Sensitivity:	90dB	90dB
Power:	400Watts	500Watts

### ● MW0908-10 / MW0908-12

Die-casting basket		
Non-pressed paper cone with foam edge, rubber gasket		
Model:	MW0908-10	MW0908-12
Size:	10"	12"
Voice:	2.5" Aluminium	2.5" Aluminium
Magnet:	120 oz	120 oz
Impedance:	4 Ohm x 2	4 Ohm x 2
Frequency:	30Hz~1.5KHz	28Hz~1.2KHz
Sensitivity:	90dB	90dB
Power:	500Watts	600Watts



### ● MW0909-10 / MW0909-12

Die-casting basket		
Non-pressed paper cone with foam edge, aluminium gasket		
Model:	MW0909-10	MW0909-12
Size:	10"	12"
Voice:	3" Aluminium	3" Aluminium
Magnet:	150 oz	150 oz
Impedance:	2 Ohm x 2	2 Ohm x 2
Frequency:	28Hz~1.8KHz	26Hz~1.8KHz
Sensitivity:	90dB	90dB
Power:	1200Watts	1500Watts



# SLIM SUBWOOFER



## ● MW0910-10 / MW0910-12

Stamped basket		
Paper cone with foam edge, rubber gasket		
Model:	MW0910-10	MW0910-12
Size:	10"	12"
Voice:	2" Aluminium	2" Aluminium
Magnet:	40 oz	40 oz
Impedance:	4 Ohm	4 Ohm
Frequency:	38Hz~1.8KHz	35Hz~1.8KHz
Sensitivity:	90dB	90dB
Power:	150Watts	200Watts

## ● MW0911-10 / MW0911-12

Stamped basket		
Paper cone with foam edge, rubber gasket		
Model:	MW0911-10	MW0911-12
Size:	10"	12"
Voice:	2" Aluminium	2" Aluminium
Magnet:	40 oz	40 oz
Impedance:	4 Ohm	4 Ohm
Frequency:	35Hz~1.8KHz	35Hz~1.8KHz
Sensitivity:	90dB	90dB
Power:	150Watts	200Watts



## ● MW0912-10 / MW0912-12

Stamped basket		
Paper cone with foam edge, rubber gasket		
Model:	MW0912-10	MW0912-12
Size:	10"	12"
Voice:	2" Aluminium	2" Aluminium
Magnet:	40 oz	40 oz
Impedance:	4 Ohm	4 Ohm
Frequency:	38Hz~1.8KHz	35Hz~1.8KHz
Sensitivity:	92dB	92dB
Power:	300Watts	400Watts

# COAXIAL SPEAKER



## ● MCN431

Steel Basket	
IMPP cone with rubber edge	
Model	MCN431
Size	4"-3 Way
Voice Coil	0.75"
Magnet	5 oz
Tweeter	1.2"
Impedance	4 Ohm
Frequency	80Hz~20KHz
Sensitivity	90dB
Power	80Watts



## ● MCN531

Steel Basket	
IMPP cone with rubber edge	
Model	MCN531
Size	5"-3 Way
Voice Coil	1"
Magnet	6 oz
Tweeter	1.2"
Impedance	4 Ohm
Frequency	70Hz~20KHz
Sensitivity	90dB
Power	100Watts



## ● MCN631

Steel Basket	
IMPP cone with rubber edge	
Model	MCN631
Size	6"-3 Way
Voice Coil	1"
Magnet	10 oz
Tweeter	1.5"
Impedance	4 Ohm
Frequency	60Hz~20KHz
Sensitivity	90dB
Power	150Watts



## ● MCN6931

Steel Basket	
IMPP cone with rubber edge	
Model	MCN6931
Size	6x9"-3 Way
Voice Coil	1"
Magnet	15 oz
Tweeter	2.5"
Impedance	4 Ohm
Frequency	50Hz~20KHz
Sensitivity	90dB
Power	200Watts



# COAXIAL SPEAKER



## ● MCN422

Steel Basket	
PP cone with rubber edge	
Model	MCN422
Size	4"-2 Way
Voice Coil	1"
Magnet	6 oz
Tweeter	1.2"
Impedance	4 Ohm
Frequency	80Hz~20KHz
Sensitivity	90dB
Power	80Watts



## ● MCN522

Steel Basket	
PP cone with rubber edge	
Model	MCN522
Size	5"-2 Way
Voice Coil	1"
Magnet	6 oz
Tweeter	1.2"
Impedance	4 Ohm
Frequency	70Hz~20KHz
Sensitivity	90dB
Power	100Watts



## ● MCN6532

Steel Basket	
PP cone with rubber edge	
Model	MCN6532
Size	6.5"-3 Way
Voice Coil	1"
Magnet	10 oz
Tweeter	1.5"
Impedance	4 Ohm
Frequency	60Hz~20KHz
Sensitivity	90dB
Power	150Watts



## ● MCN6932

Steel Basket	
PP cone with rubber edge	
Model	MCN6932
Size	6x9"-3 Way
Voice Coil	1"
Magnet	15 oz
Tweeter	2"
Impedance	4 Ohm
Frequency	50Hz~20KHz
Sensitivity	90dB
Power	250Watts

# COAXIAL SPEAKER



## ● MCN433

Steel Basket	
IMPP cone with rubber edge	
Model	MCN433
Size	4"-3 Way
Voice Coil	1"
Magnet	6 oz
Tweeter	1.2"
Impedance	4 Ohm
Frequency	80Hz~20KHz
Sensitivity	90dB
Power	100Watts



## ● MCN533

Steel Basket	
IMPP cone with rubber edge	
Model	MCN533
Size	5"-3 Way
Voice Coil	1"
Magnet	6 oz
Tweeter	1.2"
Impedance	4 Ohm
Frequency	70Hz~20KHz
Sensitivity	90dB
Power	150Watts



## ● MCN6533

Steel Basket	
IMPP cone with rubber edge	
Model	MCN6533
Size	6.5"-3 Way
Voice Coil	1"
Magnet	10 oz
Tweeter	1.5"
Impedance	4 Ohm
Frequency	60Hz~20KHz
Sensitivity	90dB
Power	200Watts



## ● MCN6933

Steel Basket	
IMPP cone with rubber edge	
Model	MCN6933
Size	6x9"-3 Way
Voice Coil	1"
Magnet	20 oz
Tweeter	2"
Impedance	4 Ohm
Frequency	50Hz~20KHz
Sensitivity	90dB
Power	350Watts



# COAXIAL SPEAKER

# COAXIAL SPEAKER



## ● MCN434

Steel Basket	
Plated IMPP cone with rubber edge	
Model	MCN434
Size	4"-3 Way
Voice Coil	1"
Magnet	6 oz
Tweeter	1.2"
Impedance	4 Ohm
Frequency	80Hz~20KHz
Sensitivity	90dB
Power	100Watts



## ● MCN534

Steel Basket	
Plated IMPP cone with rubber edge	
Model	MCN534
Size	5"-3 Way
Voice Coil	1"
Magnet	6 oz
Tweeter	1.2"
Impedance	4 Ohm
Frequency	70Hz~20KHz
Sensitivity	90dB
Power	150Watts



## ● MCN6534

Steel Basket	
Plated IMPP cone with rubber edge	
Model	MCN6534
Size	6.5"-3 Way
Voice Coil	1"
Magnet	10 oz
Tweeter	1.5"
Impedance	4 Ohm
Frequency	60Hz~20KHz
Sensitivity	90dB
Power	200Watts



## ● MCN6934

Steel Basket	
Plated IMPP cone with rubber edge	
Model	MCN6934
Size	6x9"-3 Way
Voice Coil	1"
Magnet	20 oz
Tweeter	2"
Impedance	4 Ohm
Frequency	50Hz~20KHz
Sensitivity	90dB
Power	300Watts



## ● MCN425

Steel Basket	
IMPP cone with rubber edge	
Model	MCN425
Size	4"-2 Way
Voice Coil	1"
Magnet	6 oz
Tweeter	1.5"
Impedance	4 Ohm
Frequency	80Hz~22KHz
Sensitivity	90dB
Power	80Watts



## ● MCN525

Steel Basket	
IMPP cone with rubber edge	
Model	MCN525
Size	5"-2 Way
Voice Coil	1"
Magnet	6 oz
Tweeter	1.5"
Impedance	4 Ohm
Frequency	70Hz~22KHz
Sensitivity	90dB
Power	100Watts



## ● MCN6525

Steel Basket	
IMPP cone with rubber edge	
Model	MCN6525
Size	6.5"-2 Way
Voice Coil	1"
Magnet	10 oz
Tweeter	1.5"
Impedance	4 Ohm
Frequency	60Hz~22KHz
Sensitivity	90dB
Power	150Watts



## ● MCN6935

Steel Basket	
IMPP cone with rubber edge	
Model	MCN6935
Size	6x9"-3 Way
Voice Coil	1"
Magnet	20 oz
Tweeter	2.5"
Impedance	4 Ohm
Frequency	50Hz~22KHz
Sensitivity	90dB
Power	300Watts



# COMPONENT SPEAKER



## ● MDN501 / MDN651

Steel basket		
Plated IMPP cone with rubber edge		
1.2" Tweeter		
12dB 3 Way crossover		
Model	MDN501	MDN651
Size	5"	6.5"
Voice Coil	1"	1"
Magnet	8 oz	8 oz
Impedance	4 Ohm	4 Ohm
Frequency	60Hz~20KHz	50Hz~20KHz
Sensitivity	90dB	90dB
Power	150Watts	200Watts

## ● MDN502 / MDN652

Steel basket		
IMPP cone with rubber edge		
1.5" Silk dome tweeter		
12dB 3 Way crossover		
Model	MDN502	MDN652
Size	5"	6.5"
Voice Coil	1"	1"
Magnet	10 oz	10 oz
Impedance	4 Ohm	4 Ohm
Frequency	60Hz~20KHz	50Hz~20KHz
Sensitivity	90dB	90dB
Power	250Watts	300Watts

# ENCLOSURE



## ● MBN1001 / MBN1201

Model:	MBN1001	MBN1201
Size:	10"	12"
Cone:	PP cone with rubber edge	PP cone with rubber edge
Voice Coil:	2" Aluminium	2" Aluminium
Magnet:	40 oz	40 oz
Impedance:	4 Ohm	4 Ohm
Frequency:	40Hz~2KHz	35Hz~2KHz
Sensitivity:	90dB	92dB
Power:	200Watts	250Watts

## ● MBN1002 / MBN1202

Model:	MBN1002	MBN1202
Size:	10"	12"
Cone:	Paper cone with rubber edge	Paper cone with rubber edge
Voice Coil:	1.5" Aluminium	1.5" Aluminium
Magnet:	30 oz	30 oz
Impedance:	4 Ohm	4 Ohm
Frequency:	35Hz~2KHz	30Hz~2KHz
Sensitivity:	90dB	92dB
Power:	180Watts	200Watts



## ● MBN1003 / MBN1203

Model:	MBN1003	MBN1203
Size:	10"	12"
Cone:	PP cone with rubber edge	PP cone with rubber edge
Voice Coil:	2" Aluminium	2" Aluminium
Magnet:	40 oz	40 oz
Impedance:	4 Ohm	4 Ohm
Frequency:	35Hz~2KHz	30Hz~2KHz
Sensitivity:	90dB	92dB
Power:	250Watts	300Watts





### ● MBN1004 / MBN1204

Model:	MBN1004	MBN1204
Size:	10"	12"
Cone:	IMPP cone with rubber edge	IMPP cone with rubber edge
Voice Coil:	2" Aluminium	2" Aluminium
Magnet:	40 oz	40 oz
Impedance:	4 Ohm x 2	4 Ohm x 2
Frequency:	35Hz~2KHz	30Hz~2KHz
Sensitivity:	90dB	92dB
Power:	200Watts x 2	300Watts x 2

### ● MBN1005 / MBN1205

Model:	MBN1005	MBN1205
Size:	10"	12"
Cone:	Non-pressed paper cone with foam edge	Non-pressed paper cone with foam edge
Voice Coil:	2" Aluminium	2" Aluminium
Magnet:	40 oz	40 oz
Impedance:	4 Ohm x 2	4 Ohm x 2
Frequency:	35Hz~250Hz	30Hz~250Hz
Sensitivity:	90dB	90dB
Power:	250Watts x 2	300Watts x 2



### ● MBSN1001 / MBSN1201

Model:	MBSN1001	MBSN1201
Size:	10"	12"
Cone:	IMPP cone with rubber edge	IMPP cone with rubber edge
Voice Coil:	1.5" Aluminium	1.5" Aluminium
Magnet:	30 oz	30 oz
Impedance:	4 Ohm	4 Ohm
Frequency:	35Hz~2KHz	30Hz~2KHz
Sensitivity:	90dB	92dB
Power:	120Watts	180Watts



### ● MBSN1002 / MBSN1202

Model:	MBSN1002	MBSN1202
Size:	10"	12"
Cone:	Paper cone with rubber edge	Paper cone with rubber edge
Voice Coil:	2" Aluminium	2" Aluminium
Magnet:	40 oz	40 oz
Impedance:	4 Ohm	4 Ohm
Frequency:	35Hz~2KHz	30Hz~2KHz
Sensitivity:	90dB	92dB
Power:	150Watts	200Watts





# ACTIVE ENCLOSURE

# ACTIVE SLIM ENCLOSURE



### ● MBN6901A

Model:	MBN6901A
Size:	6x9"
Cone:	PP cone with rubber edge
Voice Coil:	1" Aluminium
Magnet:	20 oz
Impedance:	4 Ohm
Frequency:	50Hz~250Hz
Sensitivity:	90dB
Power:	80Watts

### ● MBN1002A / MBN1202A

Model:	MBN1002A	MBN1202A
Size:	10"	12"
Cone:	Non-pressed Paper cone with foam edge	Non-pressed Paper cone with foam edge
Voice Coil:	1.5" Aluminium	1.5" Aluminium
Magnet:	30 oz	30 oz
Impedance:	4 Ohm	4 Ohm
Frequency:	35Hz~250Hz	30Hz~250Hz
Sensitivity:	90dB	92dB
Power:	150Watts	200Watts



### ● MBN8003A

Model:	MBN8003A
Size:	8"
Cone:	PP cone with rubber edge
Voice Coil:	1.5" Aluminium
Magnet:	30 oz
Impedance:	4 Ohm
Frequency:	35Hz~250Hz
Sensitivity:	90dB
Power:	100Watts



### ● MBSN8001A / MBSN1001A

Model:	MBSN8001A	MBSN1001A
Size:	8"	10"
Cone:	Aluminium cone with rubber edge	Aluminium cone with rubber edge
Voice Coil:	1.5" Aluminium	1.5" Aluminium
Magnet:	30 oz	30 oz
Impedance:	4 Ohm	4 Ohm
Frequency:	35Hz~250Hz	30Hz~250Hz
Sensitivity:	90dB	92dB
Power:	80Watts	100Watts



### ● MBSN1002A / MBSN1202A

Model:	MBSN1002A	MBSN1202A
Size:	10"	12"
Cone:	Flat paper cone with foam edge	Flat paper cone with foam edge
Voice Coil:	2" Aluminium	2" Aluminium
Magnet:	40 oz	40 oz
Impedance:	4 Ohm	4 Ohm
Frequency:	35Hz~250Hz	30Hz~250Hz
Sensitivity:	90dB	92dB
Power:	120Watts	150Watts



# OUTERDOOR SPEAKER

# PA ENCLOSURE



## ● MMN6021

Model	MMN6021
Size	6"
Basket	Plastic
Cone	PP cone with rubber edge
Voice Coil	1"
Magnet	8 oz
Tweeter	1.2" tweeter
Impedance	4 Ohm
Frequency	80Hz~20KHz
Sensitivity	90dB
Power	100Watts
*WATERPROOF	

## ● MMN6931

Model	MMN6931
Size	6x9"
Basket	Plastic
Cone	PP cone with rubber edge
Voice Coil	1"
Magnet	20 oz
Tweeter	2" midrange, 1.2" tweeter
Impedance	4 Ohm
Frequency	50Hz~20KHz
Sensitivity	90dB
Power	200Watts
*WATERPROOF	



## ● MPN521

Model	MPN521
Size	5"
Basket	ABS
Cone	Paper cone with foam edge
Voice Coil	1"
Magnet	10 oz
Tweeter	1.5" dome tweeter
Impedance	4 Ohm
Frequency	60Hz~20KHz
Sensitivity	92dB
Power	250Watts
*WATERPROOF	



## ● MLN1001 / MLN1201 / MLN1501

Model	MLN1001	MLN1201	MLN1501
Size	10"	12"	15"
Basket	Steel	Steel	Steel
Cone	Paper Cone with cloth edge	Paper Cone with cloth edge	Paper Cone with cloth edge
Gasket	EVA	EVA	EVA
Voice Coil	2" Aluminium	2" Aluminium	2.5" Aluminium
Magnet	30 oz	40 oz	50 oz
Impedance	8 Ohm	8 Ohm	8 Ohm
Frequency	35Hz~20KHz	30Hz~20KHz	30Hz~20KHz
Sensitivity	93dB	95dB	95dB
Power	300Watts	350Watts	350Watts



## ● MLN1002 / MLN1202 / MLN1502

Model	MLN1002	MLN1202	MLN1502
Size	10"	12"	15"
Basket	Steel	Steel	Steel
Cone	Paper Cone with cloth edge	Paper Cone with cloth edge	Paper Cone with cloth edge
Gasket	EVA	EVA	EVA
Voice Coil	2" Aluminium	2" Aluminium	2.5" Aluminium
Magnet	30 oz	40 oz	50 oz
Impedance	8 Ohm	8 Ohm	8 Ohm
Frequency	35Hz~20KHz	30Hz~20KHz	30Hz~20KHz
Sensitivity	93dB	95dB	95dB
Power	300Watts	350Watts	350Watts



## ● MLN1003 / MLN1203 / MLN1503

Model	MLN1003	MLN1203	MLN1503
Size	10"	12"	15"
Basket	Steel	Steel	Steel
Cone	Paper Cone with cloth edge	Paper Cone with cloth edge	Paper Cone with cloth edge
Gasket	EVA	EVA	EVA
Voice Coil	2" Aluminium	2" Aluminium	2.5" Aluminium
Magnet	30 oz	40 oz	50 oz
Impedance	8 Ohm	8 Ohm	8 Ohm
Frequency	35Hz~20KHz	30Hz~20KHz	30Hz~20KHz
Sensitivity	93dB	95dB	95dB
Power	300Watts	350Watts	350Watts